

# AUTO PAY STATION AS-400

## Product Specification



The AS-400 is a multifunction Pay Station designed to perform a variety of roles including Coin/Token Acceptor, Pay & Display machine, Multi-Space Meter, Exit Pay Station and Pay On Foot Station. The AS-400 can accept coins, bills and tokens. A receipt printer is optional. As a Pay Station, the AS-400 reads magnetic stripe tickets issued by the TIM-21 Ticket Machine. The fee is calculated automatically based on a pre-programmed rate. A card reader can optionally be installed in the unit eliminating the need for a separate reader stand. The AS-400 can also communicate its status to a host system via RS-485 or wireless link.

### A. HOUSING

The AS-400 shall consist of a housing mounted on a pedestal. The pedestal and housing shall be constructed of steel not less than #14 gauge. All seams, joints and supports shall be electric bead welded. (Spot welds shall not be acceptable.) Access to the housing shall be attained through a full length door locked by a high security lock. It shall be possible to optionally mount the housing on a wall. The finish shall consist of a powder coat paint applied over a suitable primer.

### B. COIN ACCEPTOR, BILL ACCEPTOR AND CASH VAULTS

The units coin acceptor shall be capable of recognizing up to five types of coins, including but not limited to nickels, dimes, quarters and tokens. Deposited coins that are not recognized shall be returned through the coin return cup. Recognized coins and tokens shall be deposited into a locked cash vault. The capacity of the cash vault shall be about \$500.00 in change or about 1000 coins. (Actual capacity shall depend upon the types

# AUTO PAY STATION AS-400

## Product Specification



and number of coins deposited.) The cash vault shall be locked by dual locks. Separate keys shall be required to remove the cash vault from the AS-400 and to open the vault.

The bill acceptor shall be programmable to accept dollar bills of any denomination up to \$100. The bill acceptor shall recognize a bill regardless of which direction the bill has been inserted. (Face-up, face-down, etc.) Bills not recognized by the acceptor shall be rejected and returned to the customer. Accepted bills shall be stored in a removable bill stacker of not less than 250 bill capacity. Removable and lockable bill stackers of 600 and 1000 bill capacity shall be available.

### C. USER INTERFACE

An illuminated "Pay Parking Here" display shall be incorporated into each of the AS-400s four sides making the unit clearly visible from any direction day or night. The AS-400 shall be equipped with a 4 line by 20 character back lit LCD display visible in all lighting conditions. The display shall provide instructions to the user and display any fees owed and cash deposited. User input shall be provided by clearly marked, color coded, vandal resistant buttons on the face of the unit.

### D. OPTIONS

A receipt printer shall be standard on all Pay Stations and Pay & Display versions of the AS-400. A receipt printer shall be optional on all other versions. The receipt printed shall be a 40 column thermal printer. Printers requiring ink or ribbons shall not be acceptable.

It shall be possible to mount an intercom on the face of the AS-400 enabling a patron to call for assistance if necessary.

It shall be possible to mount a card reader on the face of the AS-400 eliminating the need for a separate card reader stand in facilities used by both transient and contract parkers.

It shall be possible to equip the AS-400 with a tamper alarm in the event that the unit is forced open. The alarm may be audible or provide a signal to a central monitoring station.

The AS-400 shall be able to communicate its status to a central monitoring station via RS-485 communication or wireless link. The unit shall report on cash collected in order to alert collection crews when the cash vaults need to be emptied, or when the receipt printer requires paper in order to minimize service requirements.

# AUTO PAY STATION AS-400

Product Specification



## E. AVAILABLE AS-400 VERSIONS

The AS-400 shall be available in the following versions:

VERSION	APPLICATION	FEATURES	OPTIONS
AS-400CT	Coin/Token Acceptor	coin and token acceptor	bill acceptor, receipt printer
AS-400PD	Pay & Display	coin and token acceptor, receipt printer	bill acceptor
AS-400MS	Multi Space Meter	coin and token acceptor	bill acceptor, receipt printer
AS-400PS	Pay Station	coin and token acceptor, mag stripe reader, receipt printer	bill acceptor

## F. TECHNICAL DATA

Housing	Weatherproof, #14 ga. steel housing with locked full length, door, powder coat finish
Power	110-220VAC 50/60Hz 2.5A. Certain configurations can be battery powered. Battery life is approximately 30 days. Actual battery life is dependant on usage.
Bills	Accepts any denomination dollar bill from \$1 to \$100. Bills can be inserted in any direction. (Many types of foreign currencies are available incl. Euros, Canadian dollars and Pesos. Contact PPI with your requirements.)
Coins	Accepts up to 5 types of coins and/or tokens. (Programmable for US and many foreign currencies. Contact PPI with your requirements.)
Storage	Coin vault can store up to \$250 in change or about 500 coins. Separate keys can be required to remove the vault from the AS-400 and to open the vault enhancing security. Bills are stored in a removable and lockable bill stacker. Capacities of 250, 600 and 1000 bills are available.
Size	30" H X 12" W X 12" D (770mm X 308mm X 308mm)
Weight	40 lbs.(18 Kg)

# AUTO PAY STATION AS-400

## Product Specification



Operating Temperature 25 deg F to 120 deg F (-3 deg C to 45 deg C) Some units operating in cold climates may require a heater.

### AS-400 Housing Diagram:

